

Limo Punch

SECTION 1. IDENTIFICATION

Product Identifier Limo Punch
Other Means of Identification Code No. 338
Recommended Use Cleaner / Degreaser.
Restrictions on Use Use only as directed according to label instructions.
Manufacturer/Supplier Identifier Chandler, P.O. Box 431,
 225 Thorne Avenue, Saint John, NB, E2L 4L9, (506) 658-8000
Emergency Phone No. CANUTECH, 613-996-6666, 24-hr for Emergencies involving Dangerous Goods
SDS No. 0469

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin irritation - Category 2; Serious eye damage - Category 1; Aspiration hazard - Category 1

Label Elements



Danger
 Corrosive
 Causes severe eye damage and skin irritation or burns.
 Harmful if swallowed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Ethanolamine	141-43-5	1-5		
Tetrapotassium pyrophosphate	7320-34-5	1-5		
Sodium metasilicate pentahydrate	10213-79-3	1-5		
1-methyl-4-(1-methylethenyl) cyclohexene; 4-isopropenyl-1-methylcyclohexene, dextro-limonene	5989-27-5	1-5		
Methanol	67-56-1	0.1-0.5		
Ethanol	64-17-5	0.5-1.0		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Product Identifier: Limo Punch - Ver. 1
 Date of Preparation: June 14, 2017
 Date of Last Revision:

SDS No.: 0469

Page 01 of 06

Inhalation

If irritation is experienced, remove person to fresh air.
Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

In case of contact, immediately flush skin with plenty of water.
Call a physician if irritation develops or persists.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open.

If eye irritation persists, get medical advice or attention.

Ingestion

In case of ingestion, call a doctor or anti-poison Centre.

Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed.

May cause severe eye irritation or burns.

May cause skin irritation on prolonged contact.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, digestive system.

Medical Conditions Aggravated by Exposure

Asthma, skin allergies.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

This product presents no unusual hazards in a fire situation.

Special Protective Equipment and Precautions for Fire-fighters

Wear full fire fighting equipment and respirator.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Increase ventilation to area or move leaking container to a well-ventilated and secure area.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Contain and/or absorb spill with commercial absorbents and then place into a suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing.

Product Identifier: Limo Punch - Ver. 1

Date of Preparation: June 14, 2017

Date of Last Revision:

SDS No.: 0469

Page 02 of 06

Do NOT ingest.

Keep containers tightly sealed when not in use.

Conditions for Safe Storage

Store in a cool dry area away from incompatible materials.

Keep out of reach of children in a tightly closed container away from food, drink and animal feed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Ethanolamine	3 ppm	6 ppm				
Tetrapotassium pyrophosphate	Not established					
Sodium metasilicate pentahydrate	Not established					
Methanol	200 ppm	250 ppm				
Ethanol		1000 ppm	1900 mg/m3			
1-methyl-4-(1-methylethenyl) cyclohexene; 4-isopropenyl-1-methylcyclohexene,dextro-limonene	Not established					

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air.

Individual Protection Measures

Skin Protection

Wear protective gloves and clothing to prevent skin contact.

Respiratory Protection

Use in well ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear orange liquid.
Odour	Citrus
pH	~ 12.8
Melting Point/Freezing Point	~ 0 °C (32 °F) (freezing)
Flash Point	Not applicable
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Solubility	Soluble in water
Other Information	
Physical State	Liquid
Bulk Density	~ 1.03 kg/L

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Product Identifier: Limo Punch - Ver. 1

Date of Preparation: June 14, 2017

Date of Last Revision:

SDS No.: 0469

Page 03 of 06

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

High temperatures.

Freezing.

Incompatible materials.

Incompatible Materials

Strong acids (e.g. hydrochloric acid), strong oxidizing agents (e.g. perchloric acid), strong reducing agents (e.g. hydrides).

Hazardous Decomposition Products

May include but are not limited to oxides of carbon, nitrogen and ammonia.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation.

Skin contact.

Skin absorption.

Eye contact.

Ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Ethanolamine	> 1.21 mg/L (rat) (4-hour exposure)	1720 mg/kg (rat)	1000 mg/kg (rabbit)
Tetrapotassium pyrophosphate		2444 mg/kg (rat)	4640 mg/kg (rabbit)
Sodium metasilicate pentahydrate		847 mg/kg (rat)	
Methanol	> 4.1 mg/L (4-hour exposure)	5628 mg/kg (rat)	15800 mg/kg (rabbit)
Ethanol	> 61 mg/L (rat) (4-hour exposure)	7060 mg/kg (rat)	> 15800 mg/kg (rabbit)
1-methyl-4-(1-methylethenyl) cyclohexene; 4-isopropenyl-1-methylcyclohexene, dextro-limonene		4400-6600 mg/kg (rat)	> 5000 mg/kg (rabbit)

Skin Corrosion/Irritation

May cause irritation or symptoms such as redness, edema, drying, defatting or cracking of the skin.

Serious Eye Damage/Irritation

May cause severe irritation or burns.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause irritation of the respiratory system.

Skin Absorption

May cause irritation on prolonged contact.

Product Identifier: Limo Punch - Ver. 1

Date of Preparation: June 14, 2017

Date of Last Revision:

SDS No.: 0469

Page 04 of 06

Ingestion

May cause burns or irritation of the digestive system including nausea or vomiting.
Harmful if swallowed.

Aspiration Hazard

May be drawn into the lungs (aspirated) if swallowed or vomited.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No chronic effects are expected provided adequate person protection is taken during usage.

Respiratory and/or Skin Sensitization

Not expected to produce any respiratory system problems when used in a well ventilated area.

Carcinogenicity

Not known to cause cancer.

Reproductive Toxicity**Development of Offspring**

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

May cause adverse effects in the aquatic environment.

Persistence and Degradability

May cause long-term adverse effects in the aquatic environment.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1760	Corrosive Liquid, N.O.S. (Sodium metasilicate solution)	8	III

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

WHMIS 1988 Classification



Class D2B



Class E

D2B - Toxic (Skin irritant; Eye irritant); E - Corrosive

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

SECTION 16. OTHER INFORMATION

SDS Prepared By	Technical Department
Phone No.	(905) 648-7832 ext 351
Date of Preparation	June 14, 2017
Disclaimer	The user of this product assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, the supplier assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representation of warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the products supplied to the user.

Product Identifier: Limo Punch - Ver. 1

Date of Preparation: June 14, 2017

Date of Last Revision:

SDS No.: 0469

Page 06 of 06